

STABLE BLEACHING POWDER

(CAS: 7778-54-3)

Type - 1

Available Chlorine	:	34% min
Stability, loss of avail. chlorine	:	1 / 15 max
Moisture	:	0.3 max
Particle Size (pass through 1.7mm sieve)	:	99.5% min
Lead as Pb	:	70 ppm max
Chromium as Cr	:	20 ppm max
Arsenic as As	:	10 ppm max
Cadmium as Cd	:	10 ppm max
Manganese as Mn	:	250 ppm max
Mercury as Hg	:	5 ppm max
Selenium as Se	:	10 ppm max

STABLE BLEACHING POWDER

(CAS: 7778-54-3)

Type - 2

Available Chlorine	:	32% min
Stability, loss of avail. chlorine	:	1 / 11 max
Moisture	:	0.5 max
Particle Size (pass through 1.7mm sieve)	:	99% min
Lead as Pb	:	70 ppm max
Chromium as Cr	:	20 ppm max
Arsenic as As	:	10 ppm max
Cadmium as Cd	:	10 ppm max
Manganese as Mn	:	250 ppm max
Mercury as Hg	:	5 ppm max
Selenium as Se	:	10 ppm max